
PATTA-F, IP 20 / IP 65, recessed fitting, LED, 3000K, round, black, 38°, incl. driver



ARTEMIS LIGHT

slv_114440_1_h_rgb.jpg





 ${\sf PATTA-F,\,IP\,20\,/\,IP\,65,\,recessed\,fitting,\,LED,\,3000K,\,round,\,black,\,38^\circ,\,incl.\,driver}$

Rating: Not Rated Yet **Price**

Base price with tax 115,43 €

Price with discount 93,09 €

1 / 3

Salesprice with discount
Sales price 115,43 €
Sales price without tax 93,09 €
Discount
Tax amount 22,34 €
Ask a question about this product
ManufacturerSLV
Walter de la Contraction de la
Specification
The innovative PATTA F recessed fitting is suitable for ceiling thicknesses of up to 20 mm. Rated IP65 it can be used outdoors or in damp areas. This set is available in black, white, or brushed aluminium as well as in round or square form. Equipped with a powerful, warm white premium COB LED in a tiltable mount, as well as dimmable LED driver included in the scope of supply, the set can be used in any lighting situation. The electrical connection is made directly to the 230V mains supply.
Technical Detials:
Primary nominal voltage 220-240V ~50/60Hz mA/V
Secondary power / secondary voltage 500mA
Height 6.2 cm Diameter 8.3 cm
Installation diameter 7 cm Installation depth 6 cm
IP Code IP 20 / IP 65
Safety class II
Impact resistance class IK02
Assembly Recessed
Assembly details Ceiling
Dimmable Yes Dimming technology Leading edge,trailing edge
Wattage 11 W
Lumen 745 lm
Colour temperature 3000 Kelvin
Beam angle 38 °
Color black
CRI 80

Reviews

There are yet no reviews for this product.

Recessed Lights: PATTA-F, IP 20 / IP 65, recessed fitting, LED, 3000K, round, black,

3 / 3