

PATTA-F, IP 20 / IP 65, recessed fitting, LED, 3000K, round, white, 38°, incl. driver



ARTEMIS LIGHT

slv_114441_1_h_rgb.jpg



ARTEMIS LIGHT



ARTEMIS LIGHT

PATTA-F, IP 20 / IP 65, recessed fitting, LED, 3000K, round, white, 38°, incl. driver

Rating: Not Rated Yet

Price

Base price with tax 115,43 €

Price with discount 93,09 €

Salesprice with discount

Sales price 115,43 €

Sales price without tax 93,09 €

Discount

Tax amount 22,34 €

[Ask a question about this product](#)

Manufacturer [SLV](#)

Specification

The innovative PATTA F recessed fitting is suitable for ceiling thicknesses of up to 20 mm. Rated IP65 it can be used outdoors or in damp areas. This set is available in black, white, or brushed aluminium as well as in round or square form. Equipped with a powerful, warm white premium COB LED in a tiltable mount, as well as dimmable LED driver included in the scope of supply, the set can be used in any lighting situation. The electrical connection is made directly to the 230V mains supply.

Technical Detials:

Primary nominal voltage 220-240V ~50/60Hz mA/V

Secondary power / secondary voltage 500mA

Height 6.2 cm **Diameter** 8.3 cm

Installation diameter 7 cm **Installation depth** 6 cm

IP Code IP 20 / IP 65

Safety class II

Impact resistance class IK02

Assembly Recessed

Assembly details Ceiling

Dimmable Yes **Dimming technology** Leading edge,trailing edge

Wattage 11 W

Lumen 745 lm

Colour temperature 3000 Kelvin

Beam angle 38 °

Color white

CRI 80

Reviews

There are yet no reviews for this product.

Recessed Lights: PATTA-F, IP 20 / IP 65, recessed fitting, LED, 3000K, round, white,
